


FRONT VIEW



SIDE VIEW

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
1			
2			

# AIRMASTERS

WWW.AIR-MASTERS.EU



MATERIAL  
SS-316L

FINISH  
-

NEXT ASSEMBLY	USED ON	QTY PER ASSY	PART NO

REQUIREMENTS—UNLESS OTHERWISE SPECIFIED	
GENERAL	
1. DIMS ARE IN MM	
2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5 (1982)	
3. MACHINE FINISH 125 MICRO INCH RMS	
4. INTERNAL RADII .015	
5. BREAK SHARP CORNERS .005 TO .015	
LIMITS	
1. LINEAR DIMS.	
XXX = .005	
XX = .010	
X = .030	
2. ANGLES = ± 1/2°	
3. ROUNDT .010 TIR	
4. HOLES IN ACCORDANCE WITH AND 10387	

CONTRACT NUMBER	
CLIENT	
CONTRACTOR	
DRAWN	DATE
DESIGN	CHECKED
PROJECT	Q.A.
STRESS	MANUFACTURING
THERMAL	MATERIALS
MECHANISM	ELECTRICAL

MOD.	
AIR-CONV01SAN-316L	
TITLE	
1" SS-316L SANITARY FLANGE RING VAC	
SIZE	CAGE CODE
DWG NO	RELEASE
SCALE 1:1	REV P 1
CAD NO	SHEET 1 OF 1